2022 MIPS Quality Category Measures for Ophthalmology

Physicians must report on 70% of all patients, if reporting via registry or EHR, and 70% of all Medicare Part B patients if reporting via claims.

Physicians must report a minimum of 6 measures, with at least one being an outcome measure OR a high priority measure, if an outcome is not available. High priority measures are certain CMS designated measures that include all outcome measures. Groups can report on all 10 CMS Web interface measures (groups only).

Note: Beginning in performance year 2023, quality measures that don't have a benchmark or meet the case minimum will earn 0 points (small practices will continue to earn 3 points). Also beginning in the 2023 performance period, measures will earn between 1 and 10 achievement points if they can be scored against a benchmark.

| NQF/Quality Number | Submission Mechanism | Measure Type | Measure Domain | Measure Title |
|-----------------------|-------------------------|-----------------|---|---|
| 0086/012 | EHR | Process | Effective Clinical Care | Primary Open-Angle Glaucoma (POAG): Optic Nerve Evaluation |
| 0087/014 | Registry | Process | Effective Clinical Care | Age-Related Macular Degeneration (AMD): Dilated Macular Examination |
| 0089/019 | Registry, EHR | Process | Communication and Care Coordination (high priority) | Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care |
| 0055/117 | Claims, Registry, EHR | Process | Effective Clinical Care | Diabetes: Eye Exam |
| 0419/130 | Claims, Registry, EHR | Process | Patient Safety (high priority) | Documentation of Current Medications in the Medical Record |
| 0563/141 | Registry | Outcome | Communication and Care Coordination (high priority) | Primary Open-Angle Glaucoma (POAG): Reduction of Intraocular Pressure (IOP) by 15% or Documentation of a Plan of Care |

| 0565/191 | Registry, EHR | Outcome | Effective Clinical Care (high priority) | Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery |
|----------|---|--|---|--|
| 0028/226 | Claims, Web Interface, Registry, EHR | Process | Community/Populati on Health | Preventative Care and Screening: Tobacco Use: Screening and Cessation Information |
| 0022/238 | Registry, EHR | Process | Patient Safety (high priority) | Use of High-Risk Medications in Older Adults |
| N/A/303 | Registry | Patient Reported Outcome- Based | Person Caregiver- Centered Experience and Outcomes (high priority) | Cataracts: Improvement in Patient's Visual Function within 90 Days Following Cataract Surgery |
| N/A/304 | Registry | Patient Reported Outcome- Based | Person Caregiver- Centered Experience and Outcomes (high priority) | Cataracts: Patient Satisfaction within 90 Days Following Cataract Surgery |
| N/A/374 | EHR, Registry | Process | Communication and Care Coordination (high priority) | Closing the Referral Loop: Receipt of Specialist Report |
| N/A/384 | Registry | Outcome | Effective Clinical Care (high priority) | Adult Primary Rhegmatogenous Retinal Detachment Surgery: No Return to the Operating Room within 90 Days of Surgery |
| N/A/385 | Registry | Outcome | Effective Clinical Care (high priority) | Adult Primary Rhegmatogenous Retinal Detachment Surgery: Visual Acuity Improvement within 90 Days of Surgery |
| N/A/389 | Registry | Outcome | Effective Clinical Care (high priority) | Cataract Surgery: Difference Between Planned and Final Refraction |

Other Available Measures

CMS continues not to require that one of the quality measures be a cross-cutting measure. However, measures that are deemed cross-cutting are still available for physicians to report.

| NQF/P | QRS Number | Submission Method | Measure Type | Measure Domain | Measure Title |
|--------|------------|--|---------------------------------------|-------------------------|-------------------------------------|
| 0018/2 | 236 | Claims, Web Interface, Registry, EHR | Intermediate Outcome* (high priority) | Effective Clinical Care | Controlling: High Blood Pressure |

^{*}Intermediate outcome measures are considered outcome measures.

Ophthalmology Quality Measure Benchmarks

Each decile includes a range of performance rates. Deciles without benchmarks (denoted by a --) indicate that there are no scores available in that decile.

| Measure Name | PQRS Number | Reporting Method | Seven Point Cap | Decile 3 | Decile 4 | Decile 5 | Decile 6 | Decile 7 | Decile 8 | Decile 9 | Decile 10 |
|---|----------------|---------------------|-----------------------|---------------------|--------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|--------------|
| Primary Open-Angle Glaucoma (POAG): Optic Nerve Evaluation | 12 | EHR | No | 79.71 - 86.73 | 86. 74 - 91. 38 | 91.39 - 94.84 | 94.85 - 96.83 | 96.84 - 98.25 | 98.26 - 99.16 | 99.17 - 99.88 | >= 99.89 |
| Age-Related Macular Degeneration (AMD): Dilated Macular Examination | 14 | Registry | Yes | 88.05 - 92.58 | 92.59 - 95.84 | 95.85 - 97.86 | 97.87 - 99.33 | 99.34 - 99.99 | | - | 100 |

| Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care | 19 | EHR | No | 62.50 - 72.40 | 72.41 - 80.36 | 80.37 - 85.82 | 85.83 - 90.31 | 90.32 - 93.70 | 93.71 - 96.86 | 96.87 - 99.02 | >= 99.03 |
|---|-----|----------|-----|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------------|-------------|
| Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care | 19 | Registry | Yes | 79.11 - 90.90 | 90.91 - 96.91 | 96.92 - 99.64 | 99.65 - 99.99 | | -1 | | 100 |
| Diabetes: Eye Exam | 117 | EHR | No | 13.19 - 22.02 | 22.03 - 31.85 | 31.86 - 44.61 | 44.62 - 65.96 | 65.97 - 95.93 | 00 12 | 99.14 - 99.99 | 100 |
| Diabetes: Eye Exam | 117 | Claims | Yes | | | | | | | | 100 |
| Diabetes: Eye Exam | 117 | Registry | Yes | 94.31 - 97.85 | 97.86 - 99.32 | 99.33 - 99.85 | 99.86 - 99.99 | | | | 100 |
| Documentation of Current Medications in the Medical Record | 130 | EHR | Yes | 80.38 - 88.23 | 88.24 - 92.35 | 92.36 - 95.25 | 95.26 - 97.16 | 97.17 - 98.41 | 98.42 - 99.32 | | >= 99.90 |
| Documentation of Current Medications in the Medical Record | 130 | Claims | Yes | 99.67 - 99.96 | 99.97 - 99.99 | | | | | | 100 |
| Documentation of Current Medications in the Medical Record | 130 | Registry | Yes | 77.92 - 90.46 | 90.47 - 95.59 | 95.60 - 98.14 | - | 99.6 9- 99.9 | | | 100 |
| Primary Open-Angle Glaucoma (POAG): Reduction of Intraocular Pressure (IOP) by 15% OR Documentation of a Plan of Care | 141 | Claims | No | 96.44 | | | | | | | 100 |

| Primary Open-Angle Glaucoma (POAG): Reduction of Intraocular Pressure (IOP) by 15% OR Documentation of a Plan of Care | 141 | Registry | No | 46.38 - 69.02 | 69.03 - 81.81 | 81.82 - 90.43 | 90.44 - 95.41 | 95.42 - 98.27 | | | 100 |
|---|-----|----------|----|------------------|------------------|------------------|------------------|------------------|---------------|------------------|----------|
| Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery | 191 | EHR | No | 88.67 - 93.01 | 93.02 - 95.34 | 95.35 - 96.82 | 96.83 - 97.96 | 97.97 - 98.80 | | 99.64 - 99.99 | 100 |
| Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery | 191 | Registry | No | 92.83 - 95.51 | 95.52 - 97.32 | 97.33 - 98.54 | 98.55 - 99.99 | | | | 100 |
| Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention | 226 | Claims | No | | | | | | | | |
| Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention | 226 | EHR | No | | | | | | | | |
| Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention | 226 | Registry | No | | | | | | | | |
| Controlling High Blood Pressure | 236 | Claims | No | 20 - 29.99 | 30 - 39.99 | 40 - 49.99 | 50 - 59.99 | 60 - 69.99 | 70 - 79.99 | 80 - 89.99 | >= 90 |
| Controlling High Blood Pressure | 236 | Registry | No | 20 - 29.99 | 30 - 39.99 | 40 - 49.99 | 50 - 59.99 | 60 - 69.99 | 70 - 79.99 | 80 - 89.99 | >= 90 |
| Controlling High Blood Pressure | 236 | EHR | No | | | | 63.64 - 67.04 | | | 74.95 - 80.83 | >= 80.84 |

| Use of High-Risk Medications in Older Adults | 238 | Registry | No | | | | | | | |
|--|-----|---------------|-----|------------------|------------------|------------------|------------------|------------------|------------------|----------|
| Use of High-Risk Medications in Older Adults | 238 | EHR | No | | | | | | | |
| Cataracts: Improvement in Patient's Visual Function within 90 Days Following Cataract Surgery | 303 | Registry | No | | | | | | | |
| Cataracts: Patient Satisfaction within 90 Days | 304 | Registry | No | | | | | | | |
| Closing the Referral Loop: Receipt of Specialist Report | 374 | EHR | No | 12.50 - 18.72 | | | 37.10 - 51.18 | 51.19 - 66.66 | | >= 87.32 |
| Closing the Referral Loop: Receipt of Specialist Report | 374 | Registry | NI- | 85.64 - 94.75 | | 98.62 - 99.99 | | | | 100 |
| Adult Primary Rhegmatogenous Retinal Detachment Surgery: No Return to the Operating Room Within 90 Days of Surgery | 384 | Registry | 110 | 96.43 - 97.91 | 97.92 - 99.99 | | | | | 100 |
| Adult Primary Rhegmatogenous Retinal Detachment Surgery: Visual Acuity Improvement Within 90 Days of Surgery | 385 | Registry | No | | | | | | | |
| Cataract Surgery: Difference Between Planned and Final Refraction | 389 | Registry/QCDR | No | 29.54 - 39.34 | | | 92.86 - 97.13 | | 99.87 - 99.99 | 100 |